


Printed: 06/06/19 by bl H:\Projects\2014\14200E Shawme Site and Drainage Improvements\Drawings\14200E-ST.dwg

last modified: 06/06/19




GENERAL NOTES:

1. SUB-GRADE (EXISTING MATERIAL) SHALL CONSIST OF INERT MATERIAL THAT IS HARD DENSE STONE AND/OR COARSE SAND, FREE FROM LOAM, EXCAVATE SANDY-LOAM AND/OR LOAMY-SAND TOPSOIL MATERIAL FROM ALL PAVED AREAS PRIOR TO SUB-BASE INSTALLATION.
2. PLACE SUB-BASE IN MAXIMUM 8' LIFTS (COMPACTED TO 95%).
3. COMPACT SUB-GRADE FILL TO 95% COMPACTION.
4. SEE SITE LAYOUT PLATFOR INFORMATION FOR YOUR LOCATION.
5. CHECK GRADE PRIOR TO PAVING IT SHOULD BE 1% SLOPE.
6. SHEAR CLEAN THE EXISTING BINDER COURSE SURFACE PRIOR TO INSTALLING THE WEARING COURSE A STREET SMOOTHING MACHINE.
7. APPLY A TACK COAT PER SPECIFICATIONS.

BITUMINOUS PAVEMENT
NOT TO SCALE


NOT



PLANS
2. ALL PAINT TO BE
NON-SKID.


HANDICAPPED PARKING

NOT



TYPICAL HANDICAP SIGN DET


NOT T



NOTE:
LOAM & SEED ALL DISTURBED AREA NOT
CALLED OUT TO BE PLANTED OR PAVED

LOAM AND SEED
NOT TO SCALE

NOT T




INSTALLATION PLAN

NOT TO SCALE

LEGEND

GENERAL	SYMBOLS
	 EXISTING TREE
	 EXISTING EVERGREEN TREE
	 DRAIN MANHOLE
	 CATCHBASIN
	 FLARED END OUTLET
PROPERTY INFORMATION	
	
	
	
UTILITIES	
	
	
	
PROPERTY, LOT, OR ROW	
	
	
SETBACK LINE	
	
	
DRAIN PIPE	
	
	



RECEIVED
JUN 14 2019

BOARD OF APPEALS